
2017 GNU Hackers Meeting The GNU Behistun Package 1. Ancient Languages and Writing 2. Disaster Preparedness and Mitigation 3. Seismic Subsurface Mapping Speaker: Christopher Dimech Palace of Darius at Susa, Persia

Copyright: 2017 Christopher Dimech


Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

A copy of the license is included in the section entitled GNU Free Documentation License.










The positions of the Old Persian, Elamite, and Babylonian versions of the major trilingual inscription DB on the rock at Bīsotūn. Source: King and Thompson, pl. VI; corrected by Borger, fig. 2; adapted by R. Schmitt









2011. The Fukushima Daiichi Nuclear Disaster



2011. The Fukushima Daiichi Nuclear Disaster



2010, Deepwater Horizon Drilling Rig at Macondo Prospect

Inextinguishable Fire, Sinking two days later, leaving the well gushing at the seabed.



1986. Chernobyl Nuclear Disaster


Ukrainian Soviet Socialist Republic, Soviet Union

Reactor Safety Flaws and Human Actions



Ignalina Nuclear Power Plant

Similar to Chernobyl Nuclear Power Plant 2004, 2009 Closed two-unit RBMK-1500 Reactors





The Yucca Mountain Nuclear Waste Repository



The Yucca Mountain Nuclear Waste Repository



Hanford Radioactive Containment Site


Hanford site represents two-thirds of the nation's high level radioactive waste by volume



Hanford Radioactive Containment Site



Waste Isolation Pilot Plant, New Mexico, United States
Radioactive Containment Casks arriving at WIPP




Waste Isolation Pilot Plant


Radioactive Waste is placed in Rooms Underground



Waste Isolation Pilot Plant, New Mexico, United States 2014. Radioactive Leaks from Damaged Storage Drum Waste Explosion, Airborne Release of Radiological Material


REALITY CHECK






Wed Sep 29 8:38:07 PDT 2004 538 earthquakes on this map 119° 37° 120° Magnitude 7 Benito 5 4 Julare Coalinga □ 3 **D** 2 San Ardo Avena **36°** o 1 ⊠ ? Paso Robles LAST HOUR LAST DAY piragradere. LAST WEEK Luis Obispo Maricopa 35° 121° 120°

Italian Seismicity



Overprediction of hazard risk levels



References

2016. **Farrugia, Daniela**; Galea, Pauline; D'Amico, Sebastiano; Paolucci, Enrico; **Sensitivity of ground motion parameters to local site effects for areas characterised by a thick buried low-velocity layer. Geophysical Research Abstracts, Volume 18, EGU2016-410, EGU General Assembley.**

2016. **Peresan Antonella**; Kossobokov Vladimir; Romashkova Leontina; Magrin Andrea; Soloviev Alexander; Panza, Giuliano F.; **Time-dependent neo-deterministic seismic hazard scenarios: Preliminary report on the M6.2 Central Italy earthquake, 24 th August 2016.** New Concepts in Global Tectonics Pagination, Volume 4, Issue 3, 487-493.

- 2016. **Sutherland, Vanessa Allen**; Ehrlich, Manuel; Engler, Rick; Kulinowski, Kristen; **Macondo blowout and explosion, Final Report: Macondo Investigation Report.** U.S. Chemical safety and hazard investigation board. Volumes 1-4.
- 2016. Yaroshinskaya, Alla; The Chernobyl Secret Protocols: Lies in the Aftermath of Disaster. Transcend Media Service.
- 2015. AGI; American Geosciences Institute guidelines for ethical professional conduct. American Geosciences Institute Ethics Committee.
- 2015. Stein, Seth; Spencer, Bruce D.; Brooks, Edward M.; Metrics for assessing earthquake-hazard map performance. Bulletin of the Seismological Society of America, Volume 105, Issue 4, Pagination 2160-2173.

- 2014. Carter, Lionel; Gavey, Rachel; Talling, Peter J.; Liu, James T.; Insights into submarine geohazards from breaks in subsea telecommunication cables. Special Issue on Undersea Natural Hazards, Oceanography, Volume 27, Issue 2, Pagination 58-67.
- 2014. **Germeraad, Michael**; Mieler, Danielle; Brechwald, Dana; **Cascading failures: Earthquake threats to transportation and utilities.** Association of Bay Area Governments, U.S.
- 2014. Lester, Charles; Dettmer, Alison; Street, Joseph; Report on the Fukushima Daiichi Nuclear Disaster and Radioactivity along the California Coast. California Coastal Commission, State of California, Natural Resources Agency.

2014. **Peresan, Antonella**; Magrin, Andrea; Vaccari, Fabio; Romanelli Fabio; Panza, Giuliano F.; **Neo-deterministic seismic hazard assessment: an operational scenario-based approach from national to local scale.** First National Conference on Earthquake Engineering and Seismology, Bucharest, Romania.

2014. **Pierson, Thomas C.**; Wood, Nathan J.; Driedger, Carolyn L.; **Reducing risk from lahar hazards: concepts, case studies, and roles for scientists.** Journal of Applied Volcanology, Volume 3, Issue 1, Article 16.

2014. **USGAO**; Hanford cleanup: **Condition of tanks may further limit DOE's ability to respond to leaks and intrusions.** United States Government Accountability Office. Report to the Honorable Ron Wyden, U.S. Senate.

- 2014. **Vakulchuk, Roman**; Gjerde, Kristian; Belikhina, Tatiana; Apsalikov, Kazbek; **Semipalatinsk nuclear testing: The humanitarian consequences.** Second Conference on Humanitarian Impact of Nuclear Weapons, Nayarit, Mexico.
- 2013. Chang Seng Denis Stanley; Tsunami resilience: Multi-level institutional arrangements, architectures and system of governance for disaster risk preparedness in Indonesia. Environmental Science and Policy, Volume 29 Pagination 57-70.
- 2013. **Dong, Xiang**; Jing, Xiaoping; Qian, Kejun; Jiang, Wei; Zhou, Chengke; Peng, Xiaosheng; **A smart grid needs smart monitoring.** International Journal of Smart Grid and Clean Energy, Volume 2, Issue 3, Pagination 322-328.

- 2013. Noda, Hiroyuki; Lapusta, Nadia; Stable creeping fault segments can become destructive as a result of dynamic weakening. Nature, Volume 493, Pagination 518-521.
- 2013. Oldrich, Hungr; Jordan, Aaron; Stability and failure behaviour of the Vaiont slide. Italian Journal of Engineering Geology and Environment, Issue 6. Pagination 51-62.
- 2013. Pacchioli, David; Communication in the Fukushima Crisis How did officials, scientists, and the media perform? Center for Marine and Environmental Radioactivity, Woods Hole Oceanographic Institution.

2013. Panzera, Francesco; D'Amico, Sebastiano; Galea, Pauline; Lombardo, Giuseppe; Gallipoli, Maria Rosaria; Pace, Sharon; Geophysical measurements for site response investigation: Preliminary results on the island of Malta. Bulletin of Theoretical and Applied Geophysics (Italian: Bollettino di Geofisica Teorica ed Applicata), Volume 54, Issue 2, Pagination 111-128.

2013. Stallman, Richard; Free/Libre Scientific Publishing. stallman.org article.

2013. Stein, Seth; Geller, Robert J.; Liu, Mian; Reply to comment by Arthur Frankel on "Why Earthquake Hazard Maps Often Fail and What to do About It". Tectonophysics, Volume 592, Pagination 207-209.

2013. Toda Shinji; Tsutsumi Hiroyuki; Simultaneous reactivation of two, subparallel, inland normal faults during the MW 6.6 11 April 2011 lwaki earthquake triggered by the MW 9.0 Tohoku-Oki, Japan, Earthquake. Bulletin of the Seismological Society of America, Volume 103, Pagination 1584-1602.

2012. **Delle Rose, Marco**; **Decision-making errors and socio-political disputes over the Vajont Dam disaster.** Disaster Advances, Volume 5, Issue 3, Pagination 144-152.

2012. **Tormann, Thessa**; Wiemer, Stefan, Hardebeck, Jeanne L.; **Earthquake recurrence models fail when earthquakes fail to reset the stress field.** Geophysical Research Letters, Volume 39, Issue 18, Pagination L18310.

- 2011. Cyranoski, David; Japan faces up to failure of its earthquake preparations systems for forecasting, early warning and tsunami protection all fell short on 11 March. Nature, Volume 471, Pagination 556-557.
- 2011. **Finn, Liam W.D.**; Ventura, Carlos E.; Schuster, Norman D.; **Ground motions during the 1994 Northridge earthquake.** Canadian Journal of Civil Engineering, Volume 22, Pagination 300-315.
- 2011. **Geller, R.J.; Shake-up time for Japanese seismology.** Nature 472, 407-409.
- 2011. **Kaufmann, Daniel**; Penciakova, Veronika; **Japan's triple disaster: Governance and the earthquake, tsunami and nuclear crises.** The Brookings Institution.

- 2011. Prestininzi, Alberto; The lack of prevention: Cost and inconvenience transferred to future generations. Geoitalia, Volume 34, Pagination 3.
- 2011. Roberts, Karlene; Radke, John D.; Foster, Howard; Bea, Robert G.; Azwell, Thomas; Baram, Michael; Blum, Michael J.; Buchler, K. Florian; Donley, Paul; Duesund, Yngvar; Epperson, R. Charles; Gale, William E. Jr; Gudmestad, Ove T.; Hare, Anthony; Joye, Samantha; Khorsandi, Jahon D.; Kletz, Trevor A.; Kotow, Kennith; Kubendran, Sindhu; Lacy, Kevin; Lane, George; Laleian, Artin; Marsh, Gary; Nadeau, Paul H.; Needoba, Wayne; Nicholson, Scott; Olson, Michael L.; Pritchard, David M.; Roe, Emery; Rosenberg, David; Schulman, Paul; Skogdalen, Jon Espen; Taylor, Liz; Thomas, John III; Tiffany, Marianne; Utne, Ingrid B.; Vinnem, Jan-Erik; Wenk, Ed Jr.; White, LuAnn E.; Final report on the investigation of the Macondo well blowout. Deepwater Horizon Study Group, Center for Catastrophic Risk Management. University of California, Berkeley.

- 2011. Kerr, Richard A.; New Work Reinforces Megaquake's Harsh Lessons in Geoscience. Science, Volume 332, Issue 6032, Pagination 911
- 2011. Stein, Seth; Geller, Robert; Liu, Mian; Bad assumptions or bad luck: Why earthquake hazard maps need objective testing. Seismological Research Letters, Volume 82, Number 5, Pagination 623-626...
- 2009. Shrestha, Bipin; Vertical ground motions and its effect on engineering structures: A state of the art review. International Seminar on Hazard Management for Sustainable Development, Kathmandu, Nepal.
- 2008. Bertell, Rosalie; Chernobyl: An unbelievable failure to help. International Journal of Health Services Volume 38, Issue 3, Pagination 543-560.


2003. **Brown, Patrick O.**; Eisen, Michael B.; Varmus, Harold E.; **Why PLoS Became a Publisher.** PLoS Biology, Public Library of Science, Volume 1, Issue 1, e36.

2003. **Gehman, Hal**; Barry, John; Deal, Duane; Hallock, James N.; Hess, Kenneth W.; Hubbard, Scott; Logsdon, John; Osheroff, Douglas D.; Ride, Sally; Tetrault, Roger E.; Turcotte, Stephen; Wallace, Steven B.; Widnall, Sheila E.; **Columbia Accident Investigation Board Report. Volumes I to VI.** National Aeronautics and Space Administration (NASA).


1986. **Feynman, Richard P.**; **Personal Observations on the reliability of the Shuttle.** Report of the Presidential Commission on the Space Shuttle Challenger Accident, Volume II, Appendix F.

1986. **Rogers, William P.**; Armstrong, Neil A.; Acheson, David C.; Covert, Eugene E.; Feynman, Richard P.; Hotz, Robert B.; Kutyna, Donald J.; Ride, Sally K.; Rummel, Robert W.; Sutter, Joseph F.; Walker, Arthur; Wheelon, Albert; Yeager, Chuck; **Report of the Presidential Commission on the Space Shuttle Challenger Accident.** Volumes I to V, National Aeronautics and Space Administration (NASA).








European Mediterranean Seismological Centre Induced Seismicity Consortium




1989. Zollo et al.











3.2. The Cross-Covariance Function


Time-distance helioseismology is based on the measurement of the cross-covariance between the Doppler signals at two points \mathbf{r}_1 and \mathbf{r}_2 on the solar surface,

$$C(\mathbf{r}_1, \mathbf{r}_2, t) = \int_0^T dt' \, \phi(\mathbf{r}_1, t') \phi(\mathbf{r}_2, t' + t), \tag{5}$$

where t is the correlation time lag. **Figure 6a** shows a cross-covariance function measured from 144 days of MDI medium-degree data. The cross-covariance has been averaged over many pairs of points (\mathbf{r}_2 , \mathbf{r}_1) and is presented as a function of the heliocentric angle between these two points. This diagram is known as the time-distance diagram. The cross-covariance is essentially a phase coherent average of the random oscillations (Bogdan 1997, and **Supplemental Video 2**). It is a solar seismogram: it provides a way to measure wave travel times between two surface locations.







inversion in plan view (a) and vertical cross section (b). The open tr gles in (a) denote the four Apollo seismic stations.







Figure 9 Vertical cross sections of P-wave tomography along the four profiles shown on the map. Red and blue colors denote low and high velocities, respectively. The scale of velocity perturbations relative to the 1-D velocity model (Figure 3) is shown below (c). White dots denote moonquakes occurring within 150 km width of each profile. Open triangles on the map denote the four Apollo seismic stations.







$$\left(\frac{\partial t}{\partial x}\right)^2 + \left(\frac{\partial t}{\partial y}\right)^2 + \left(\frac{\partial t}{\partial z}\right)^2 = s^2(x, y, z)$$

$$t_7 = t_0 + \frac{1}{\sqrt{2}} \sqrt{6h^2s^2 - (t_1 - t_2)^2 - (t_2 - t_4)^2 - (t_4 - t_1)^2 - (t_3 - t_5)^2 - (t_5 - t_6)^2 - (t_6 - t_3)^2},$$
 (2)

$$t_5 = t_1 + \sqrt{2h^2s^2 - 0.5(t_0 - t_3)^2 - (t_2 - t_4)^2}.$$
 (3)

$$t_5 = t_2 + \sqrt{h^2 s^2 - 0.25[(t_1 - t_3)^2 + (t_0 - t_4)^2]}.$$


Seismic Data: Earthquakes, Anthropogenic, Background

The current velocity distribution is updated according to the vector computed, and the process is repeated until the Subsurface Map stabilizes.

The ray path from a source to the station is defined by following the steepest gradient in the time grid from the source. From the ray geometry of all source-receiver pairs the matrix describing the forward tomographic problem can be computed:

$$\mathbf{r} = \mathbf{G}\Delta u,\tag{1}$$


where **r** is the travel time residual vector, i.e., the difference between the observed travel times and the travel times computed in the current velocity distribution. Δu is the slowness (1/velocity) perturbation vector. Each G_{pj} coefficient is the length of the ray p sampling cell j.



$$d_i = G_i\left(x_j\right)$$

Initial 3-D Velocity Distribution: Starting Model designed using a subsurface simulation grid (nx, ny, nz)

To image a region we use an estimation grid of cubic cells describing the scale we want to resolve (mx, my, mz)



The current velocity distribution is updated according to the vector computed, and the process is repeated until the velocity model stabilizes.

We give a quick overview of the theory of systems of linear, algebraic equations. This is not intended to serve as a text on linear algebra, merely a review of some important concepts. Detailed discussions of various aspect of this material can be found in [43] or [78].

Consider a system of m equations for n unknowns, (x_1, \ldots, x_n) :

$$a_{11}x_1 + a_{12}x_2 + \cdots + a_{1n}x_n = y_1$$

$$a_{21}x_1 + a_{22}x_2 + \cdots + a_{2n}x_n = y_2$$

$$\vdots \qquad \vdots \qquad \vdots$$

$$a_{m1}x_1 + a_{m2}x_2 + \cdots + a_{mn}x_n = y_m.$$

$$(1.16)$$

There are four questions which require answers:

4.2.1 Inverse problem

The inverse problem corresponding to the forward problem given by 2 is nonlinear. We define the *a posteriori* probability density function (PDF) as

$$\sigma_{M}(m) = \exp\left(-\frac{1}{2}\left(\sum_{i=0}^{I-1} \left(\frac{g(m)_{i} - d_{i}^{\text{obs}}}{\sigma_{i}}\right)^{2} + \sum_{j=0}^{N-1} \frac{S_{j}}{S}\left(\frac{c_{j} - c_{j}^{\text{prior}}}{\sigma_{c}}\right)^{2} + \sum_{j=0}^{N-1} \frac{S_{j}}{S}\left(\frac{l_{j} - l_{j}^{\text{prior}}}{\sigma_{l}}\right)^{2} + \sum_{k=0}^{M-1} \left(\frac{A_{k} - A_{k}^{\text{prior}}}{\sigma_{A}}\right)^{2}\right)\right)$$

$$(7)$$

Existence:

For a given m-vector (y_1, \ldots, y_m) does there exist an n-vector (x_1, \ldots, x_n) which satisfies the equations in (1.16)?

Uniqueness:

When a solution exists is it unique? More generally, describe the space of solutions.

Solve in practice:

Give an algorithm to find approximations for the solutions of (1.16) and criteria to select a solution when there is more than one.

Stability:

How sensitive is the solution to small variations in the coefficients (a_{ij}) or the right hand side (y_j) ?

It is a somewhat unexpected, but very important fact that these issues are in practice, rather independent of one another.

References

2009. Nowack, Robert L.; Li, Cuiping; Seismic Tomography

2008. **Zhao Da Peng**; Lei, Jian She; Liu, Lucy; **Seismic tomography of the Moon.** Chinese Science Bulletin.

1998. **Zollo, Aldo**; Gasparini, Paolo; Virieux, Jean; Biella, G.; Boschi, Enzo; Capuano, Paolo; De Franco, Roberto; Dell'Aversana Paolo; De Matteis, Raffaella; De Natale, Giuseppe; Iannaccone, Gianni; Guerra, Ignazio; Le Meur, H.; Mirabile, Lorenzo; **An image of Mt. Vesuvius obtained by 2D seismic tomography.** Journal of Volcanology and Geothermal Research, Volume 82, Issue 1, Pagination 161-173.

1990. Vidale, John E.; Finite-difference calculation of traveltimes in three dimensions. Geophysics, Volume 55, Issue 5, Pagination 521-526.